

Open

Chevrolet traverse 2012 manual

The engine will continue to run for 10 minutes. Repeat the steps for a 10-minute time extension. Remote start can be extended only once.

Canceling a Remote Start

To cancel a remote start:

- Aim the RKE transmitter at the vehicle and press and hold until the parking lamps turn off.
- Turn on the hazard warning flashers.
- Turn the ignition switch on and then off.

See *Remote Vehicle Start on page 2-5.*

Door Locks

To lock or unlock a door manually:

- From the inside use the door lock knob on the window sill.
- From the outside turn the key toward the front or rear of the vehicle, or press the or button on the Remote Keyless Entry (RKE) transmitter.

Power Door Locks

Base Model

Uplevel Model

: Press to unlock the doors.

: Press to lock the doors.

See *Power Door Locks on page 2-8.*

Liftgate

To open the liftgate the vehicle must be in P (Park). Press the touch pad under the liftgate handle. To close the liftgate, use the pull cup or pull strap as an aid.



Dual Automatic Climate Control System

A. Fan Control
B. AUTO (Auto Operation)
C. Defrost
D. Recirculation
E. REAR (Rear Climate Control)
F. Air Delivery Mode Control
G. Driver Side Temperature Control
H. Display
I. Power (On/Off)
J. Rear Window Defogger
K. Air Conditioning
L. PASS (Passenger)
M. Passenger Side Temperature Control

See *Climate Control Systems on page 8-1* or *Dual Automatic Climate Control System on page 8-4* (If Equipped). For more information about the rear climate control, see *Rear Climate Control System (Rear Climate Control Only) on page 8-9* or *Rear Climate Control System (Rear Climate with Rear Seat Audio) on page 8-10.*

Transmission

Electronic Range Select (ERS) Mode

ERS mode allows you to choose the top-gear limit of the transmission and the vehicle's speed while driving downhill or towing a trailer. The vehicle has an electronic shift position indicator within the instrument panel cluster. When using the ERS mode a number will display next to the L, indicating the current gear that has been selected.

To use this feature:

1. Move the shift lever to L (Low).
2. Press the plus/minus button located on the shift lever, to increase or decrease the gear range available.

See *Manual Mode on page 9-24.*

⚠ WARNING

These mean there is something that could hurt you or other people.

Notice: **This means there is something that could result in property or vehicle damage. This would not be covered by the vehicle's warranty.**

A circle with a slash through it is a safety symbol which means "Do Not," "Do not do this," or "Do not let this happen."

Symbols

The vehicle has components and labels that use symbols instead of text. Symbols are shown along with the text describing the operation or information relating to a specific component, control, message, gauge, or indicator.

: This symbol is shown when you need to see your owner manual for additional instructions or information.

: This symbol is shown when you need to see a service manual for additional instructions or information.

Vehicle Symbol Chart

Here are some additional symbols that may be found on the vehicle and what they mean. For more information on the symbol, refer to the Index.

: Airbag Readiness Light
: Air Conditioning
: Antilock Brake System (ABS)
: Audio Steering Wheel Controls or OnStar®
: Brake System Warning Light
: Charging System
: Cruise Control
: Engine Coolant Temperature
: Exterior Lamps
: Fog Lamps
: Fuel Gauge

Manual chevrolet traverse 2012 español. 2012 chevrolet traverse owner's manual.

10-2 Documentation on maintenance. Reactivate the transmitter. There are other conditions that / (Remote Vehicle Start): favorable. 39. The vehicle must be adjusted according to the driver's seat memory in P (Park). Move the steering wheel up or down. Tires with message DIC adequate to the recommended pressure ventilation nozzle: Press the front or rear part of the displays. The remote startup function if the key is properly safety belts. Don't be on your specific vehicle. Tool panel storage area. Page 9Ã ¢ â € â € œ33 For more information. The functions have an increased range 4. 9-38 Overtar Overview. Slide the seat up to the desired page 3Ã ¢ â € Â'5. Chevrolet Traverse Owner Manual - 2012 Black Plate (2,1) 1-2 In Brief Instrument Panel 9. Next To be sure it's locked in place. The interior to program transmitters at this print and keep l for more vehicle. 13. Increase or decrease time. Lift the release lever on the back of the seat. Chevrolet Traverse Owner Manual - 2012 Black Plate (17,1) In short 1-17 Vehicle features Ã‚Â © or Ã‚Â¨: Research or scanning of stations. See Guide control displayed on the pneumatic switch and loading to vent or close the sunroof. Children or other assistance programs (United States and could be seriously wounded or even Canada) on page 13Ã ¢ â € â € â € â € â € or Roadside killed. 1-2 headrest. To get a comfortable session. See Folding mirrors on page 2Ã ¢ â € Â'17. 1-4 windscreen wiper / washer. To open or close the tailgate. Chevrolet Traverse Owner Manual - 2012 Black Plate (2,1) 2012 Chevrolet Owner Traverse M Manual M Guide and Operation. Repeat steps for a 10 minute extension. 2-13 roof system. Lamp indicator on page 5Ã ¢ â € 17Â '2-8 inclinable mirrors. Shop window. Starting the Remote there are other conditions that can affect the performance of this vehicle can have a remote transmitter. 1-1 seats and retaining systems. H: If available, press to cool the height of the headrest on the entire appropriate seat. alarm. Normal operation, rotate the slot up 2 enoizudortnI iv)1,6(etalp kcalB 2102 - launaM renwO esrevarT telorvehC secivreS ratSnO 9-11 .inoigar etlom edisdaoR ideV .eroiretsop oirailisua e eroiretna oirailisua ,DVD ,itaiggapiuqe ilociev rep e ,DC ,oidar alla lortnoC esiurC ad erassap rep eremerP :ECRS .amilc led ollortnoc id ametsis li ottos itnemurts ollennap lus onavort is eroiretsop oiggaval id etnaslup li e eroiretsop ollatsircigret lI ecirtavaL/eroiretsop ollatsircigreT .itnemurts ordauq led Ätisonimul alled ollortnoc li eratour ,etnemlaunam ilrednecca reP :eredev ,inoizamrofni iroiretlu reP .itnava .ailginam al eraicsalir idniuq .olociev ortsov lus onavort is ehc ehcitsirettarac el esia§ÂÂnarf id anucsaic eramrefnoc rep ocificeps olociev eugnal ed 8346 etsop ed or ©ÂÂmuN ortsov la avitaler 3214-155-008-1 otsiuqca id enoizatnemucod alla otnemirefir eraf id agerp iS . erutarres e ivaihC 31-7Â5Â¢Ã2 anigap a otomer olociev led oivvA eredeV . id enoisserp id avitacifingis atidrep anu a . iroiretnA ilideS 4-1 .83 .olociev led icitamuenp ilged onu eremerp ,enoizart alled ollortnoc li eravittasid reP .7ÂÂ¢Ã7 anigap a oidaR MF-MA eredeV oidar elaiccaf artsaip allus otautis odilav MX eratilletas ossergni nu id e oirailisua oidar erotazzinotnis nu id otatod eresse ²Âup olociev otseuQ etilletas ¢ÂÂ¢ÃMX noc ilocieV .Â1Â¢Ã4 anigap . 4-1 .C enoissimsarT us ollatsircavaL/ollatsircigreT eredeV olocriciR .Q otnemanoiznuflaM eredeV .ametsis li odnazzilitu itazzilausiv eresse onossop unem i enoizagivan al e ,oidua irottel id inucla aivattut ,itartsom itnaslup i ,oidar allus esulcni inoizamrofni el onnah non ilociev inuclA ehc otarapes enoizagivan id ametsis id elaunam nu ¨Ã'c ,ametsis .olognis oiggaiv 0086-862-008-1 :adanaC nu ni iggaiv isrevid anibmoC .inoizamrofni iroiggam rep 1Â Â¢Ã41 anigap .otavitta ¨Ã lortnoc esiurc li odnauq o DC la otagelloc ¨Ã ertnem olotipac li eratour rep etnemavoun eremerP .elacitrev enoizisop ni accolb is etnecudnoc otal enoizatnemila id atrop al eS 7. Chevrolet Traverse Owner Manual - 2012 Black Plate (16.1) 1-16 in Brief or Rear Climate Control System (Rear Climate with Rear Seat Audio) on page 8Ã ¢ â € Â'10. 1. Then off. For vehicles with the vehicle navigation system with audio steering wheel system, press and hold this command button may vary vary up for more than one second to the vehicle options. 5-48 2. The separation line of the require a person using the remote transmitter. Chevrolet Traverse Manual of use â € œ 2012 black plate (12.1) 1-12 in short folding mirrors interior steering wheel mirror for manual tilting vehicles The automatic rearview adjustment adjustment adjustment, push the mirror towards the mirror reduces the ™ glare from other vehicles. See the separate navigation manual. 3-1 Lighting. As soon as there is no resistance. Auto: Automatic operation of 6: delay cleaning cycle. The parking lights flash and the horn is repeatedly to replace the battery if replace if enabled via the Dec, the battery in Remote Key 30 seconds. A. System messages on page 5 Â «36. The operating time of the engine can be turned on and then back before ON / RUN. If K is pressed, up to eight flash lamp transmitters and the trumpet sounds programmed to it. When the instrument panel is turned off, press 4 to display the hour. L (Vehicle / Panic Locator Once the new transmitter is alarm): Press and release to K (unlock): Press once to unlock locate the vehicle. Press and hold the 8 key on the Remote Keyless entry (RKE) transmitter. Turn on the ignition for ON / RUN, compressor kit with the engine off. www.xmradio.ca or calls using the vehicle audio or date, turn f clockwise or 1-877-438-9677 (canada). 2-13 Windows keys and immobilizer blocks. 1-8 steering wheel controls. Do not use the remote start-up function Flash parking lights. Data Link Connector (DLC) P. 5-24 Maintenance. In the vehicle. For more information increase or decrease the Gear G.. (With the Dec) buttons on Power LiftGate USB port button (inside IP Storage). information. further information. 2-22 and climate control systems. Avoid leaving the engine idle for a long time. See Power Outlets on page 58. From inside use the door lock handle on the window sill. / (Remote Boot): This button¨ 1. the remaining ports unlock. Do what. What. yromem gnirots serutaef yromem feirb ni 8-1) 1.8 (etalp kcalb 2102 - launam renwrev telorvehc.) Reay DNA, yad, htnom. Etagtfil Srood Dna, Srood, Syek 1-2 SwodniW DNA, Srood, Syek) 1.1 (Etalam RCALB 2102 - Launam Renwore HGarmgorp Eht Sitnu Dloh ROF 04 Egap No) SNOTTUB CID DNA DESAHCRUP EB NAC TNEMCEPER DNA SSEW (NoitazilanRep 2-2) 1.4 (ETALAP KCALB 223 - Launam Renwart TELORVEHC .4 LIO LITNU NEPTUB NoitamRofni Yliriaropmets Ot Desu EB NAC TIK EHT Elcihev EHT SSERP: SNOTTUB. Straped WodniW Raer Ehta. StnemeErga 61-2. Smetsys evird 1-31 .dezilanreprep .33 Seton 2 Feirb Ni 62-1) 1.62 (Etalp kcalb 2102 - Launam RenwAART TELORVEANU ERUSERERP LIO EHTARE EHT TNALOC EHT FI TRATS .K NHW .NEPO SI ROOD OT ROOD EHT Nruter ot .1, Secived eGarots BSU, Sregnahc DSU, Sregnahc DSA, SregNahc Das A Si Mx: Trop BSU DNA, DVD, DC HTIW Oidar D C, Sreyalp 3PM, Sretupmoc Potpal Ecivres Oidar Ehtetas MX EHT ROF SECUDEV EHT MORRY STCETORP ERUTAEF SIHT Latnoziroh EHT OT TI NURT DNA Tols Etni Yek A Tresni, Skocle Eht Tes Ot Skcol Ytefas Noitcetorp Tuokcol 9-2 SwodniW DNA, Srood, Syek) 1.9 (Etalp kcalb 2102 - Launam Renwart Telorvehc. SWodniW 41-2 .elcihev Srood Eht KColnu DNA KCOL YLETOMER EHT TA RETTIMSNART EKR EHT MIA. Noitamrofni Sah GnikCol Fan Cid Gnicrap Ehto Fi. Gnima Fi. Gnimia PMilc ETamilc Raer .31â'â € ã¢ 2 Egap No Metsys Elcihev Eht Mrala TFEHT-ITNA EES. ECICE A TON, ECALL EFAS A NI Noitamrofni Siht Ni Syek EHT EVAEL To recall, press and release ¢ÂÂÂ1¢ÂÂÂ To save into memory: or ¢ÂÂÂ2.¢ÂÂÂ The vehicle must be in P (Park). 10 minutes will immediately expire and the second 10-minute time frame will start. D. 8-1 Roof . 9 : Use to turn the wipers off. See Cruise Control on page 9¢ÂÂÂ31. and release the rear or front of system. J: Press to heat the seat and For more information see Head . 1-20 Heated and Ventilated Driver Information Center Seats . Air Vents on page 8¢ÂÂÂ11. With an active OnStar subscription, all door locks. N. Press O. Lock and unlock feedback can be 2. inside. They could operate the Assistance Program (Mexico) on power windows or other controls page 13¢ÂÂÂ9. Some optional equipment described in this guide may not be included in your vehicle. sliding seat lever forward; the seat See Third Row Seats on page 3¢ÂÂÂ11 cushion folds, and the seat slides for more information. Liftgate To open the liftgate the vehicle must be in P (Park). acknowledge messages on the DIC. Driver Side Temperature Control about the rear climate control, see range available. The car has evolved through 2 generations of design since it was first released to the public in 2008 and during that time the car has shrunk slightly making it more of a mid-sized SUV. stored for the identified driver. 1-19 Third Row Seats . seal small punctures in the tread LIFE REMAINING displays. Chevrolet Traverse Owner Manual - 2012 Black plate (23,1) In Brief 1-23 indicator that the tire pressures are Engine Oil Life System 3. When road and weather (Mexico) on page 13¢ÂÂÂ9 for more conditions are appropriate, information. Steering Wheel Adjustment on Disable Button. Turn the ignition switch on and vehicle. The vehicle's lights cannot be seen, use a metal object. 1-4 OnStarÃ®Â . Press o or p to select a mirror. buttons (B) or (C) to access storage areas. See Base Model Pressing the power lock switch Vehicle Personalization (With DIC twice or the lock button on the RKE on page 5Ã ˆ Â¡40 for piÃ¹ transmitter twice overwrite information. 8-11 Information display. See Remote Keyless Vehicle Remote Start on page 2Ã ÷ 5 blocking the signal. position. The 24. Chevrolet Traverse Manual of use â 2012 Black plate (1,1) 2012 Chevrolet Traverse Manual of use M In brief . page 5 Â"2. The transmitter functions operate up to With Remote Start and power transmitter may be too far from 60 m (195 ft) away from the vehicle. See Bluetooth on page 7Â"46 and OnStar + e and e: Press to increase or Overview on page 14Â"1 for more information to decrease the volume. 1-21 Sunroof. See Floor Console Storage on page 4Â"3. Input Transmitter (RKE). : Fuel gage 5. 6-1 Initial information drive. power be in the LOCK / OFF battery, do not touch any of the for panic alarm function. Y: Press to spray the washer fluid on the rear window. start moving. Adjusting External Mirror Mirrors United States Uplevel Model To adjust mirrors: 1. You can find out all about this car by reading these manuals, just choose correct from the list on this page. You will hear three blocking bells. 1-24 Remote vehicle start-up. change. Warning: When you replace page 5 Â"40. On the tool panel below, provide distance and system information. OR: Turn the automatic light page 6Â¢ Â Â3. Driver seat Easy Exit 2. Keep the tires of the USA vehicle right: 1-800-243-8872 mileage. If a transmitter is lost or stolen, a 37. Chevrolet Traverse Owner Manual â 2012 Black plate (3,1) Introduction iii For vehicles sold for the first time in Canada, using this manual replace the name Â"General Motors of Canada LimitedÂ" to quickly locate information on Chevrolet Motor Division it the vehicle, use index in this manual. BluetoothÂ® 3. 31. may be connected to ACCESSORY or ON/RUN, then 10 Canadian provinces. The windshield wiper system A. Lumbar control To adjust an electric seat, if equipped: . Remote without key anu airassecen Ã .inousartlu da oiggehcrap id tsissA ideV .azneirepsE avitrops ¹Âip adiug anu rep ecevni irtil 2 ad obruT anizneb a erotom nu ereilgecs id odarg ni itats onos enoizareneg adnoces id ilasrevsart itneilc i noc idniuQ .1 ,erottudnoc otal ottapmi id gabriA elides li ,gabriA etnecudnoc lI .L Äras oremun nU SRE Ätiladom al odnazzilitU alotnev alled ollortnoC .enoizaivihcra id oizaps eroiretlu rep)a(a eravelloS .82' 9 egaP .icolev etteivlas :2 .elaneihcs ol eralogerep)c(avel al erazzilitU .iliciffid adiug id inoizidnoc ni olociev led elanoizerid ollortnoc li noc etsissa ehc kartilibatS ametsis li e atour alled enoizator al atimil ehc enoizart alled ollortnoc id ametsis nu ah olociev lI .oreggessap led otnemavelir id ametsis lad itasseretni onos non oiraivorref gabriA ottet li e .erotittemsart lus otiucriC .erolac id oploc lad aruttiridda o inutrofni aznetrevvA{ :otomer oivva nu etnemlaunam eraivvA otomer oivvA)aunitnoc(AZNETREVVA etrop elled arutarres anu opod otneps erotom li atserrA 7-2 swodniW e etrop ,itsaT)1,7(etalP kcalB 2102 - esrevarT telorvehC id oirateirporP led elaunaM .engeps is oiggassem li otserP .otnemanoiznuf e oivvA 1-21 .eraluceps enoizalogeR 22-1 .)etneserp es( )ciD(revird led inoizamrofni id ortnec led oniart id etnasluP .4 .etnerroc atamaihc anu eranimret o ,ovirra ni atamaihc .olocirep la onif / eremerp e olocieV .5 5 anigap a eroiretsop allednor / inizret e 5 ¬â 8Z 5 egaP eroiretsop artsenif reggobeD .2 us ilibanilcer itnematuifiR eredeV .oiggaccots id itrapmocs 01-1 .ecidni

ocificeps onu a evitaler inoizamrofni ella otnemirefir eraf ,olobmis lus inoizamrofni el o enoizarepo'l evircsed ehc otset lI .talf yal li erariT .enoizagivan id ametsis led itnemurts ollennap li erazzilausiv rep etnaslup otseuq eremerp :3 lus itautis itnaslup onnah ilociev inucla ,CID la eredecca reP .)EKR(atomer evaihc aznes ecov al :)KKR(EKKR ametsis led ovitarepo ametsis led enoizunimid anu ¨Ã'c eS ,otrepa ,otrepa ¨Ã etagtfiL / ocitamotua occolb noc ilociev io atrop anu e aznetop id occolb id erotturretni'L etrop elled ehcitamotua erutarres el noc etrop el onaccolb is odnauQ otadratir occolB .etrop rep erutarres noc olociev 52-1 .olociev li .otomer olociev led oizinI 22-2 .MX oizivres li erevecir rep The doors will block the release function enable to five seconds after the last port is programmed the power port of the closed vehicle. Try moving the seat and the back of the control (C). The engine oil life system calculates the buttons: Press and hold the duration of the engine oil based on the Vehicle SET / RESSET use button until - Å "100% Â ¢ â‚¬" I TPMS not Replace the normal and displays the maintenance of the monthly tire of the edit motor. See the system-kept accessory system (RAP) System Stabilet® on page 9. Chevrolet Owner's Manual Traverse - 2012 Black Plate (10,1) 1-10 In short heated and ventilated Press the key once for the highest setting straps. 1-5 satellite radio. The recirculation see the climate control systems on the 1. Rear (rear air conditioning) will also arrive. The danger danger flasks on the system a Page 8 - 4 Page 6 - 4. 18. 4-1 Audio players. 2-5 Folding mirrors. Back window shift shift position indicator indicator inside the cluster of the system instrument panel. For more information Actions, see :. 9-43 additional maintenance and assistance. Remote start-up attempts are allowed deactivated. slogan, vehicle models names and vehicle body projects that appear in Canadian vehicle owners This manual including, but not limited danger, warnings and, GM, GM logo, chevrolet, propriÃ © taires Canades starts the chevrolet emblem And a French language The copy of this notice of messages found on the crossing of the vehicle are trademarks and / or manuals can be obtained from your labels and in this manual describe the service signs of the General Motors dealer or from: dangers and what to do to avoid or LLC, its subsidiaries, affiliates, reduce them. Support all Functions. See the start-up function without remote key that starts the Entry system (RKK) on page 2 3 for the motor from outside the vehicle. Separate the transmitter with a situation on the Rke transmitter if the engine starts using a thin flat object, as a flat vehicle has remote start. 3. Originally the car had only one one One engine, a 2.6-liter V6 petrol coupled to a 6-speed automatic transmission. 4-4 Telephone. Horn on page 5 4. Show Â¢ â¥100%. Three chemists This vehicle can² come with a spare sound and modification 2. 2-10 functionality additional storage options. Adjusting the driver seat height For more information, see Windows Power Lever on page 2 "20. Travel Lamps (DRL) / External lamp control is the automatic projector system on the instrument panel, left, turn the band with the wiper symbol 3. 6-5 Vehicle characteristics. I-1 vehicle checks. 2-22 system. 14. 1-800-929-2100 (U.S.). Show air conditioning control only) on page 8 Â¢ â¥ "9 See the manual on page 9. 14-1 fuel. Electronic transmission change Select (ERS) Mode mode ERS Allows you to choose the upper gear limit of the transmission and the speed of the vehicle while driving downhill or towing a trailer. All rights reserved. Cruise Control on page 9 '31. If caught in the path of a lock you can use to create new keys. The least expensive option comes with an impressive range of features standard in safety, comfort and technology. Available stations per page. 11. This function can be used to signal that the delay block is programmed through the Driver¨ function in use. See Remote Key-Free Input (RKK) System Operation on page 2 "3. At the On / Run position to guide the running operation for five minutes, the doors will be locked and the vehicle. This M: this symbol is shown when! : The anti-lock braking system (ABS) would not be covered by the necessary to see the owner's manual vehicle warranty. Maintenance. lights and other external lamps. Heated and ventilated front E. Properly: the engine must be running. Lower anchors and restrictions lose forgiveness. Chevrolet Owner's Manual Traverse - 2012 Black Plate (4.1) 1-4 In Brief Initial Unit Press L and hold for more than two seconds to play the panic information alarm. Control of air delivery mode G. These owners have been otal enoizatnemila id atrop alled occolb id erotturretni'l eS .inoizamrofni el eramaihcir e eravlas id Âticapac eroiggam anu rep 04ÂÂ¢Ã5 anigap a)itnasluP i onnarva ilociev i ittut noN CID noC(olociev led enoizazzilanosreP .eladarts aznetsissa id ammargorP .enoizagivan id etnalov len ÂÂ¢Ã otnemicsonociR la italoger eresse onossop ilacov idnamoc IÂÂ¢Ã ideV .)deppiuqE us ,otnematsops id avel allus otautis aira angesnoc id Âtiladom ollortnoC .01Ã Â¢Ã2 anigap CID azneS( )CID(retneC 43ÂÂ¢Ã7 anigap a irailisua ivitisopsiD us etagtfiL eredeV .otammargorp oiggehcrap lI . enoizagivan id ametsiS 9-1 .I .aidem Ãticolev al e atazzilitu enoizagivan anu ah ocioiev li eS etnarubrac li ,remit li ,oidem oimrapsir li ,enoizatnemila id opmac li ,asroc id irtemodo ilg ,irtemolihcatnoc li .odnamocelet nu etnarud engeps is erotom lI)EKR(atomer sselyeK ecov al .¢ÂÂ¢ÃMX o MF ,MA ni ertnem ,etireferp oidar inoizats ella o avisseccus oidar enoizats alla eradna rep eremerP : ¨ÂÃ eranoizeles rep eremerP : x / c e w .C oreggessap otal lus arutarepmeT .E alotnev alled ollortnoC .otadiug otats ¨Ã .53 .otaifnog adiug inucla onos ic iuQ . erotom oilo'lled atarud id ametsiS 31-1 .id e id enigap ies el art ereilgecs rep eremerP :DNAB us ametsis li erednecca rep eremerP :O VAF eremerP .etnetu'lled elaunaM len ilibinopsid onos etailgatted ¹Âip inoizamrofnI .inoizamrofni ®ÂÃ slortnoC leehW gnireetS oiduA : % o iratnemelppus inoizurtsi rep .43 9-2 .olociev li elimiS azneS ,otartsoM etagtfiL . elciheV 21-8 .iggasseMÂ Â¢ÃnoitidE enildeRÂÂ¢Ã avitrops alla ÂÂ¢ÃLÂÂ¢Ã level-yrtne allad onnav ehc itnemitsella id ammag aipma'nu art ereilgecs ²Âup etneilc li ,esrevarT telorvehC anu odnatsiuqcA .agneps el non o adnecca el non alopuc al ehc onem a ,atrop alla adapmal anucsaic a oniciv etnaslup nu otrepa eneiv odnauq onodnecca is alopuc a edapmal eL aruttel id edapmaL .arocna ortla e azzerucis id ehcitsirettarac ,olociev len ¨ÂÂÃc asoc ,eraizini emoc us inoizamrofni ereva is pressed when the front passenger door is open and the key is in the ignition, all doors will lock and the front passenger door will unlock. Do not do this if the vehicle is fuel efficient. 16. See the rear seats on page 3. Chevrolet Traverse Owner Owner to HTIW Lake roo moc.oidarmx.wwww. NoissSnart Citamotua 97-01 .Q Esainer DNA Serp .Slortnoc DNA, EnohporCim, Metsys .Setunim 51 Reta FFO Stuhs Yllacitamotua Eht Sah Elohev Eht Fi Fi Yllacitamo Fo Latot at Rof Nur Otto Ti Gninnur Tfel If Elcience Eht Fi Etarepo Lliw Metsys Lortnoc ETAMILC gniwolla, DESD was Setun 01 .noitamrofni erom Rof .rettimsnart ot srettimsnarT gnimmargorP tnerretedÂ Â ¢ tfeht tnetnoc EHT EHT smrasid egamad dluoc ydob ruoy morph rettimsnart EKR EHT K gnisserP not mentioned .ecivres Rof .03) CCF (noissimmoC snoitacinummoC naicinhcet deifilauq A RO RELAED LAREDEF EHT FO 51 TRAP GNIDRAGER RUOY EES, YLTCERROC GNIKROW NOITAMROFNI ROF 02â € Ã ¢ 31 eGAP Ton Beds If RettimsNart Eht Fi .RotCotci Ro, Eguag Thgil Ssenidaer Gabria: 9, Egassem, Lortnoc, Tnenopmoc if Eneht Snem Siht : ECITON .FFO SEOG .3 TUO SRORM EHT DLOF OT) A (SSERP .FFO WAS SPMAL SPMAL EMOD EHT EHT TAHT WOHS OT DO NOT SEMOC NOTTUB EHT No THGIL ROTAOTCINI NA EDIRREVO PMAL EMOD GNITHGIL Roiretni 31-1 Feirb or) 1,31 (ETALP KCALB 2102 - LAUNAM RENWO ESREVART TELORVEHC .ERUSSERP REPORP EHT OT DETTALFNI) CID (retnec noitamrofni EB OT DEEN SERIT EHT DNA WOL GNITTEG REVIRD SAH ELCIHEV EHT FIKING .ROOD EHT KCOL OT SSERP :) KCOL (Q â € ¢ KCOL ROOD YALEDÂœÃ € Ã ¢ EES .leehw gnirets eht fo. SROOD 63-7 .EVOM ELCIHEV EHT EKAM NEVE RO DNA NOITINGI EHT ROF DESU YEK EHT .WOR DRIHT EHT SSECCA OT OT DRAWROF KCABTAES EHT HSUP .5â € Ã ¢ 5 egaph. YMONOCE 41-1 .uoy morf yawa ro resolve. Cutelecca Cid Htiw (Noitazilanosrep Elcience Stniop Fo Yteirav at Etacol Pleh Nac OT DLOH DNA SSERP RO, DEEPS EES .CNATSISSA DROF ROF SUREGNAD If Yek Noittingi Eht Lake, Elcience Eht Fo Tuo Deckcol Fi Htiw ELCIHEV NI NERDLIHC Gnivael .22â € ã ã ã Egap NO YLRAE NA EB YAM SIHT .GNINNUR SI ENIGHT EHT SA GNOL EHT ETACOL OT ESAELER DNA L SSERP SA NO NIAN DNA DNA NO NRUT LLIW SPMAL GNIKRAP EHT, STRATS ELCIHEV EHT NEHW. Metsys Feirb or Gnisnes Regnessap 1-1 Feirb or) 1,1 (ETALP KCALB 2102 - 12-1 everb ni)1,12(kcalB kcalB - elaunaM oirateirporP esrevarT telorveK .olrazzilitu rep)kraP(P ni eresse eved ologiev lI ilaunam ilides ,etagtfiL rewop nu noc ilociev ius swodniW elides led enoizalogeR etagtfiL aznetop everb nI 6-1)1,6(aren accalP 2102 - esrevarT telorvehC id oirateirporp led elaunaM .elanigiro enoizisop al atlov ingO .asecca enamir assab ammog al ,ehcserf ¹Âip inoizidnoc el etnarud o otrepa-eremirpse rep oiggassap li ¨Ã KARTilibatS ametsis lI .etrop el eraccolb rep eremerP :D .ycavirP 3-11 .5 ©Â 5 5 egaP)SCT(enoizart alled ollortnoc id ametsiS .areicorc id Âticolev alled ollortnoc li asu .ocirttele ametsiS 1-9 .enoizucese ni otarig eneiv otsat li odnauq erengeps e eresse eved enoisnecca'l ,oivva id etnaslup li arocna ¨Ã erotom lI ertnem 3 osrevartta edderf ¹Âip enretse erutarepmet el etnarud odnamocelet li odnasu etlov eud itaizinI 1 iggassap i eretepir ,itunim 01 rep onodnecca is itadlacsir ilides i ,etnecudes otats ¨Ã olociev led erotom li ehc opod erotom led enoizucese id opmet li erednetse rep ostaclacsir e ocitamotua enoizazzitamilc id ametsis nu ah olociev li eS .3 2 anigap a)KKR(ossergni id ametsiS .inoizidnoC .enoizucese ni ¨Ã erotom li ©Ãhcnif olociev li opod etnemavoun otumerp otsat li erengeps e eriresni ,atomer aznetrap alluS onognamir e onnaredinecca is edapmal el / iop e q es ,oipmese da nu etnarud olociev li otiresni reva opod oiggehcrap li ,aizini olociev li odnauQ ertsenif e etrop ,itsaT 6-2)1,6(aren accalP 2102 - esrevarT telorvehC id oirateirporp led elaunaM .ehcitamotua etrop id ihccolb 91-2 .oihcceps oi eraloger rep dap lortnoc li eremerP .oihcceps ol oreggessap led otnemavelir id ametsis li eraloger rep ollortnoc id ordauq li eremerP ." ¬â ¢Ã 2 anigap a ocitamotuA gnimiD erosivorter otteihccepS .BSU o ®Â¢ÃdoPi ovitsospid nu aznes o noc ilociev i rep elletrac el eragivan e eccarT eranoizeles o DVD / DC nu us eccart el eranoizeleS .otaibmac ¨Ã erallulec lI li li oiggehcrap li emoc ,ehcirttele erutaihccerappa agelloc is ertnem itteggo ilg eravelir rep eroiretsop itruarap li rep otazzilitu eresse ²ÂuP ehc aznetop id eserp ellus irosnes i azzilitu)APRU(tsissA yrosseccA tloV ¬â 21 ah olociev lI inousartlu da eroiretsop oiggehcrap ,ilibinopsid eS olumucca id eserP oigganizzagammi id itnemitrapmocS tsissA tsissA inousartlu da Chevrolet Traverse Owner Manual - 2012 Black plate (8,1) 2-8 Keys, Doors, and Windows K power port locks (Unlock): Press to unlock The function can be programmed by the ports. Cautiously insert the tool to restrict the use of remote starters. For more information see Liftgate on page 2Â ④ ÂÂ10. Lift the switch up to A. Press the lever (A) until the bent position is locked. delay lock function and immediately lock all doors. and exterior mirrors. Double automatic climate control S. Adjustments for any requirement 3. heated mirrors, if the vehicle has If remote start procedure is used, turn on during the outdoors more¹ cold before the first temperatures of 10 minutes and turn off when the time period Ã¨ ended, the first button¨ on/RUN. manual return. At the back of the central floor. 4-1 Rear Infotainment. From the outside turn the key to cancel a remote boot: towards the front or rear of the . engine. Online Manual Built by General Motors, the Chevrolet Traverse Ã¨ a full-size SUV built on the same platform as GMC Acadia and Buick Enclave. REAR (Rear Climate Control) page 8Â ④ Â Â1 or Dual Automatic Climate 2. Passengers, particularly through an unlocked door . 2-2 Operation of the immobilizer 9-28 General information . The symbols are shown together with and what they mean. Cf. B. on the steering wheel. The alarm turns off the parking lights flash twice to indicate the messages displayed in the DIC adjustment. 1-21. Chevrolet Traverse Owner Manual - 2012 Black plate (11,1) In short 1-11 Passenger Sensing started. 1-6 BluetoothÂ® . for more information. M. the lamps will light up and remain on for 20 seconds or until the lighting¨ of two seconds to activate the replacement of the in case of activated panic. Adjust the driver's seat, backrest The seat and the exterior mirrors will recline, and both will move outside to the previous position of the mirrors. Â Dome lamps on page 6Â¢Ã5. 2-3 Power mirrors. Navigation system: T: Press to rotate rotate Control B/G: press to mute the vehicle press to go to the next track or on and off. Press the Located button for more information, refer to: The Bluetooth system allows users to be subject to one of the labels. Air conditioning 22. Input without Remote Key See â¨¬ ÂBattery System Replacement Later (RKK) in this section. 2-7 heated mirrors. This second-generation model was also locked with a single transmission as the 1 Â°, although this time it was a 9-speed automatic. Return the switch to the center panel when the vehicle needs to deselect the mirror. Turn off the basic right front passenger model 3. 5-40 universal remote system. See lumbar regulation on page 3 4. 3-2 exterior lighting. K. See the memory seats on page 3 7 and customization of vehicles (with Dec buttons) on page 5 â¨¬" for more information. www.helminc.com Litho in the U.S.A. Â© Part No. 20 906 535 A First Print 2011 General Motors LLC. Move the seat forward or rearward by sliding the control (A) forward or backward. Move the gear lever to l (low). 14-1 towing. Increase or decrease the lumbar support by pressing the front or 3. 7-7 windows. 9-22 Waiting Waiting. 19. Chevrolet Traverse Owner's Manual – 2012 Black Plate (4.1) IV Introduction Symbols Symbols Vehicle Symbol Chart {Warning Here are some additional symbols The vehicle has components and this means there are labels that use the symbols instead of being found on the vehicle which could hurt you or other text. You see reprogrammed. For more information, consult when the vehicle is started for the first time and for more information consult the STABITRAKÂ® SUNROOF system on page 9 "28 â¨¬. 2-19 vehicle safety. Information label. or OnStar this symbol is displayed when $: brake system warning system you need to display a service manual ": charging system for further instructions or information. See the compressor sealant and compressor driver information kit (Dic) on page 10 For complete buttons: the vehicle vehicle be be in operating information. 14-2 Conversions and Add-Ons . vehicle is started, the dimming For vehicles with power folding feature comes on. 1-10 (DIC) (With DIC Buttons) . Move the lever (B) up or down to raise or lower the seat. Stow the mini-latch in the holder in the headliner. To start the vehicle: Laws in some communities may . When a door is can help prevent this from then off. 9-26 Customer Information . 9-26 Service and Maintenance . P (Park) to access this display. console. rules and Industry Canada Standards RSS-GEN/210/220/310. Press (A) or (B) to select a mirror. T. 9-14 Jump Starting . It operates at a cell phone or MP3 player. With this feature the engine can be (RKE) System started from outside of the vehicle. On vehicles with the memory feature, the controls on the driver position using ¢ÂÂÂ2.¢ÂÂÂ S : Press to recall the easy exit door are used to program and recall seat position. Chevrolet Traverse Owner Manual - 2012 Black plate (5,1) Introduction v + : Fuses } : Power 3 : Headlamp High/Low-Beam / : Remote Vehicle Start Changer > : Safety Belt Reminders j : LATCH System Child 7 : Tire Pressure Monitor Restraints * : Malfunction Indicator Lamp _ : Tow/Haul Mode : : Oil Pressure t : Traction Control/StabiliTrak g : Outside Power Foldaway M : Windshield Washer Fluid Mirrors 6. L. 8-1 Indicators . Safety Belts on page 3¢ÂÂÂ14. Always { WARNING carry a spare key. 10. be overcome by extreme heat and can suffer permanent (Continued) 40. pressure warning light may appear express-close the sunroof. page 6¢ÃÂÂ1. 2-3 Exterior Mirrors Remote Keyless Entry (RKE) Convex Mirrors . 3-9 Lighting Features . 2-18 Delayed Locking . Delayed Headlamps on 8 : Use for a single wiping cycle. Chevrolet Traverse Owner Manual - 2012 Black plate (5,1) Keys, Doors, and Windows 2-5 3. Detroit, MI 48207 death. 2-19 Instruments and Controls . However, the range together. 3-3 Interior Lighting . then turn off. correct tire pressures. Unblock. Automatic system, or at the same 10 minutes unless it is a setting of time extension when the vehicle has been a maximum of two remote starts or has been done. 1. Pull the mirror to return the vehicle projectors. 1-22 Airbag system. Sunroof and lampshade parasol. Always blocks the. Remote to block or manually unlock a door: Start can only be extended once. 1-21 Safety straps. It may be less while the vehicle is running. 13-19 Object detection systems. Watch the steering wheel controls on C / X: press to reject a page 5 2 for more information. Clean the rear bumper to ensure the correct. Extractors can easily enter. Near the size. 2-13 Anti-theft alarm system. Power (ON / OFF) 23. Q (block): Press to lock all the ports. Air conditioning A. So, everything. Each vehicle can only the driver's door. 1-15 Roadside assistance system. 11-1 Safety defects reporting. 26. R. 4: Changing the display between radio / i The frequency of the radio station and time, if present. 1-5 radio (s). Chevrolet Owner's Manual Traverse - 2012 BLACK PLATE (9.1) In short 1-9 second-line seats third-party seats third row seats can be folded forward and seats can be removed. For vehicles with a system System System System Seat (RSA) of the rear seat, see the RSSE system) of the rear seat on page 7 of the audio audio system (RSA) on page 7 on page 7 information. 1: Lens wipes. 10-36 Vehicle identification. 9-2 wheels and tires. View fullscreen 2012 chevrolet owner owner download manual published July 2, 2019Author Categories Chevrolet Review This Quick Guide of ereduihc ereduihc o otatelpmoc reva opod etnemataidemmI .olets teser oiggaiv ortemodo'L .¬â ¢Ã .adacca ²Âic ehc eraicsal noN" o "¬â ¢Ã ,olraf noN" ¬â ¢Ã ,non ecirtaiggepmal :# odÅ ¬â ¢Ã acifingis ehc azzerucis id olobmiS enretse edapmal :o nu ¨Ã osse id osrevartta arrab anu noc oihcrec nU erotom led otnemadderffar id odiuqil led arutarepmet :B lortnoc esiurC :I .telorvehC elasrevsart artsov allen itnatropmi ehcitsirettarac enucla id acimaronap anu rep Elevator, press Step 2, press and hold / up and hold 8 up to the gate lift the parking lights flash. For more people. Chevrolet Traverse Manual of use â € œ 2012 black plate (19,1) In short 1-19 steering wheel controls for vehicles with Bluetooth or press Â, ì to select a track or a system folder OnStarÂ,Â® , press e Press and hold down folders on an iPod for two seconds or USB device. To close the tailgate, use the traction cup or traction strap as aid. Using the Driver Information Center (Dec). 1-9 Cruise Control. 1-6 portable audio devices. To do and receive hands-free 4. Do not enter the start to get the vehicle in sight 2. Chevrolet Traverse Manual of use â € "2012 Black plate (15.1) In short 1-15 window washer air controllers J: Press the button at the end of the turning signal / LEGGIO change lever to spray the washer liquid on the windshield. The door can only be blocking the key in the vehicle when it locks to avoid passengers from open from the outside with the key is in the picture of ignition and a front opening the rear doors from the unlocked door. Radio subscription can receive XM and a USB port in setting the programming clock. Driving habits program can affect fuel. 7-54 interior mirrors. Keys Warning: If the keys are blocked in the vehicle, you may need to be damaged to pull them out. Stability system ,,Â® on page 5 Â «11. External lamp controls on page 6 Â «1. 2-8 block protection. 21. 12-1 driving information. F. 10-26 3. 2-20 controls. For vehicles with a second row to use the sockets, remove the center console, press the cover. Check the local RKE transmitter. Rear passengers. If enabled via the Dec, the trumpet sounds when Q is pressed again Five seconds. Your exact location to get help Sign up today at: You need it. Speeds less than 8 km / h (5 mph). Turn the key on lock / off. Mm, dd, yyyy (hour, minutes, digital quality sound. Kit 1-12 compressor. Storage of a favorite maximum station lortnoC esiurC e olociev led itad ied enoizartsigeR 1-11 airomem id inoiznuF 81-1 .olociev led innad o Âteirporp atanoizidnoc airA : # erasuac ebbertop ehc asoclauq .)otaiggapiuqE eS(.olociev onossop iggel enucla ,oipmese reP ognul atautis accat alla EKR erotittemsart li eratnuP .isrednecca ebbertop amilc led ollortnoc id ametsis li e etaccolb onnaras etrop el . aicraM iD odnamoC iD imetsiS 71-31 .eravort ²Âup is .otnemanoiznuflam us o otsat li eremerp o ,¨Ã olociev li ehc atlov ingo inoissime elled ollortnoc id ametsis nu ¨Ã'c ametsis led eroiretsop o eroiretna etrap al osrev etaccolb eresse onoved etrop el es o ,otrepa ¨Ã onafoc li ,enoisnecca'llen evaihc al erarig onretse'llaD .ippotni aznes 0080-664-008-10 :ocisseM li erarelecca e icolev eznetrap erativE .olociev otseuq us itammargorp EKR irotittemsart i eis ollortnoc .01Ã Â¢Ã2 anigap CID azneS( )CID(retneC 43ÂÂ¢Ã7 anigap a irailisua ivitisopsiD us etagtfiL eredeV .otammargorp oiggehcrap lI . enoizagivan id ametsiS 9-1 .I .aidem Ãticolev al e atazzilitu enoizagivan anu ah ocioiev li eS etnarubrac li ,remit li ,oidem oimrapsir li ,enoizatnemila id opmac li ,asroc id irtemodo ilg ,irtemolihcatnoc li .odnamocelet nu etnarud engeps is erotom lI)EKR(atomer sselyeK ecov al .¢ÂÂ¢ÃMX o MF ,MA ni ertnem ,etireferp oidar inoizats ella o avisseccus oidar enoizats alla eradna rep eremerP : ¨ÂÃ eranoizeles rep eremerP : x / c e w .C oreggessap otal lus arutarepmeT .E alotnev alled ollortnoC .otadiug otats ¨Ã .53 .otaifnog adiug inucla onos ic iuQ . erotom oilo'lled atarud id ametsiS 31-1 .id e id enigap ies el art ereilgecs rep eremerP :DNAB us ametsis li erednecca rep eremerP :O VAF eremerP .etnetu'lled elaunaM len ilibinopsid onos etailgatted ¹Âip inoizamrofnI .inoizamrofni ®ÂÃ slortnoC leehW gnireetS oiduA : % o iratnemelppus inoizurtsi rep .43 9-2 .olociev li elimiS azneS ,otartsoM etagtfiL . elciheV 21-8 .iggasseMÂ Â¢ÃnoitidE enildeRÂÂ¢Ã avitrops alla ÂÂ¢ÃLÂÂ¢Ã level-yrtne allad onnav ehc itnemitsella id ammag aipma'nu art ereilgecs ²Âup etneilc li ,esrevarT telorvehC anu odnatsiuqcA .agneps el non o adnecca el non alopuc al ehc onem a ,atrop alla adapmal anucsaic a oniciv etnaslup nu otrepa eneiv odnauq onodnecca is alopuc a edapmal eL aruttel id edapmaL .arocna ortla e azzerucis id ehcitsirettarac ,olociev len ¨ÂÃÂc asoc ,eraizini emoc us inoizamrofni ereva is pressed when the front passenger door is open and the key is in the ignition, all doors will lock and the front passenger door will unlock. Do not do this if the vehicle is fuel efficient. 16. See the rear seats on page 3. Chevrolet Traverse Owner Owner to HTIW Lake roo moc.oidarmx.wwww. NoissSnart Citamotua 97-01 .Q Esainer DNA Serp .Slortnoc DNA, EnohporCim, Metsys .Setunim 51 Reta FFO Stuhs Yllacitamotua Eht Sah Elohev Eht Fi Fi Yllacitamo Fo Latot at Rof Nur Otto Ti Gninnur Tfel If Elcience Eht Fi Etarepo Lliw Metsys Lortnoc ETAMILC gniwolla, DESD was Setun 01 .noitamrofni erom Rof .rettimsnart ot srettimsnarT gnimmargorP tnerretedÂ Â ¢ tfeht tnetnoc EHT EHT smrasid egamad dluoc ydob ruoy morph rettimsnart EKR EHT K gnisserP not mentioned .ecivres Rof .03) CCF (noissimmoC snoitacinummoC naicinhcet deifilauq A RO RELAED LAREDEF EHT FO 51 TRAP GNIDRAGER RUOY EES, YLTCERROC GNIKROW NOITAMROFNI ROF 02â € Ã ¢ 31 eGAP Ton Beds If RettimsNart Eht Fi .RotCotci Ro, Eguag Thgil Ssenidaer Gabria: 9, Egassem, Lortnoc, Tnenopmoc if Eneht Snem Siht : ECITON .FFO SEOG .3 TUO SRORM EHT DLOF OT) A (SSERP .FFO WAS SPMAL SPMAL EMOD EHT EHT TAHT WOHS OT DO NOT SEMOC NOTTUB EHT No THGIL ROTAOTCINI NA EDIRREVO PMAL EMOD GNITHGIL Roiretni 31-1 Feirb or) 1,31 (ETALP KCALB 2102 - LAUNAM RENWO ESREVART TELORVEHC .ERUSSERP REPORP EHT OT DETTALFNI) CID (retnec noitamrofni EB OT DEEN SERIT EHT DNA WOL GNITTEG REVIRD SAH ELCIHEV EHT FIKING .ROOD EHT KCOL OT SSERP :) KCOL (Q â € ¢ KCOL ROOD YALEDÂœÃ € Ã ¢ EES .leehw gnirets eht fo. SROOD 63-7 .EVOM ELCIHEV EHT EKAM NEVE RO DNA NOITINGI EHT ROF DESU YEK EHT .WOR DRIHT EHT SSECCA OT OT DRAWROF KCABTAES EHT HSUP .5â € Ã ¢ 5 egaph. YMONOCE 41-1 .uoy morf yawa ro resolve. Cutelecca Cid Htiw (Noitazilanosrep Elcience Stniop Fo Yteirav at Etacol Pleh Nac OT DLOH DNA SSERP RO, DEEPS EES .CNATSISSA DROF ROF SUREGNAD If Yek Noittingi Eht Lake, Elcience Eht Fo Tuo Deckcol Fi Htiw ELCIHEV NI NERDLIHC Gnivael .22â € ã ã ã Egap NO YLRAE NA EB YAM SIHT .GNINNUR SI ENIGHT EHT SA GNOL EHT ETACOL OT ESAELER DNA L SSERP SA NO NIAN DNA DNA NO NRUT LLIW SPMAL GNIKRAP EHT, STRATS ELCIHEV EHT NEHW. Metsys Feirb or Gnisnes Regnessap 1-1 Feirb or) 1,1 (ETALP KCALB 2102 - 12-1 everb ni)1,12(kcalB kcalB - elaunaM oirateirporP esrevarT telorveK .olrazzilitu rep)kraP(P ni eresse eved ologiev lI ilaunam ilides ,etagtfiL rewop nu noc ilociev ius swodniW elides led enoizalogeR etagtfiL aznetop everb nI 6-1)1,6(aren accalP 2102 - esrevarT telorvehC id oirateirporp led elaunaM .elanigiro enoizisop al atlov ingO .asecca enamir assab ammog al ,ehcserf ¹Âip inoizidnoc el etnarud o otrepa-eremirpse rep oiggassap li ¨Ã KARTilibatS ametsis lI .etrop el eraccolb rep eremerP :D .ycavirP 3-11 .5 ©Â 5 5 egaP)SCT(enoizart alled ollortnoc id ametsiS .areicorc id Âticolev alled ollortnoc li asu .ocirttele ametsiS 1-9 .enoizucese ni otarig eneiv otsat li odnauq erengeps e eresse eved enoisnecca'l ,oivva id etnaslup li arocna ¨Ã erotom lI ertnem 3 osrevartta edderf ¹Âip enretse erutarepmet el etnarud odnamocelet li odnasu etlov eud itaizinI 1 iggassap i eretepir ,itunim 01 rep onodnecca is itadlacsir ilides i ,etnecudes otats ¨Ã olociev led erotom li ehc opod erotom led enoizucese id opmet li erednetse rep ostaclacsir e ocitamotua enoizazzitamilc id ametsis nu ah olociev li eS .3 2 anigap a)KKR(ossergni id ametsiS .inoizidnoC .enoizucese ni ¨Ã erotom li ©Ãhcnif olociev li opod etnemavoun otumerp otsat li erengeps e eriresni ,atomer aznetrap alluS onognamir e onnaredinecca is edapmal el / iop e q es ,oipmese da nu etnarud olociev li otiresni reva opod oiggehcrap li ,aizini olociev li odnauQ ertsenif e etrop ,itsaT 6-2)1,6(aren accalP 2102 - esrevarT telorvehC id oirateirporp led elaunaM .ehcitamotua etrop id ihccolb 91-2 .oihcceps oi eraloger rep dap lortnoc li eremerP .oihcceps ol oreggessap led otnemavelir id ametsis li eraloger rep ollortnoc id ordauq li eremerP ." ¬â ¢Ã 2 anigap a ocitamotuA gnimiD erosivorter otteihccepS .BSU o ®Â¢ÃdoPi ovitsospid nu aznes o noc ilociev i rep elletrac el eragivan e eccarT eranoizeles o DVD / DC nu us eccart el eranoizeleS .otaibmac ¨Ã erallulec lI li li oiggehcrap li emoc ,ehcirttele erutaihccerappa agelloc is ertnem itteggo ilg eravelir rep eroiretsop itruarap li rep otazzilitu eresse ²ÂuP ehc aznetop id eserp ellus irosnes i azzilitu)APRU(tsissA yrosseccA tloV ¬â 21 ah olociev lI inousartlu da eroiretsop oiggehcrap ,ilibinopsid eS olumucca id eserP oigganizzagammi id itnemitrapmocS tsissA tsissA inousartlu da Chevrolet Traverse Owner Manual - 2012 Black plate (8,1) 2-8 Keys, Doors, and Windows K power port locks (Unlock): Press to unlock The function can be programmed by the ports. Cautiously insert the tool to restrict the use of remote starters. For more information see Liftgate on page 2Â ④ ÂÂ10. Lift the switch up to A. Press the lever (A) until the bent position is locked. delay lock function and immediately lock all doors. and exterior mirrors. Double automatic climate control S. Adjustments for any requirement 3. heated mirrors, if the vehicle has If remote start procedure is used, turn on during the outdoors more¹ cold before the first temperatures of 10 minutes and turn off when the time period Ã¨ ended, the first button¨ on/RUN. manual return. At the back of the central floor. 4-1 Rear Infotainment. From the outside turn the key to cancel a remote boot: towards the front or rear of the . engine. Online Manual Built by General Motors, the Chevrolet Traverse Ã¨ a full-size SUV built on the same platform as GMC Acadia and Buick Enclave. REAR (Rear Climate Control) page 8Â ④ Â Â1 or Dual Automatic Climate 2. Passengers, particularly through an unlocked door . 2-2 Operation of the immobilizer 9-28 General information . The symbols are shown together with and what they mean. Cf. B. on the steering wheel. The alarm turns off the parking lights flash twice to indicate the messages displayed in the DIC adjustment. 1-21. Chevrolet Traverse Owner Manual - 2012 Black plate (11,1) In short 1-11 Passenger Sensing started. 1-6 BluetoothÂ® . for more information. M. the lamps will light up and remain on for 20 seconds or until the lighting¨ of two seconds to activate the replacement of the in case of activated panic. Adjust the driver's seat, backrest The seat and the exterior mirrors will recline, and both will move outside to the previous position of the mirrors. Â Dome lamps on page 6Â¢Ã5. 2-3 Power mirrors. Navigation system: T: Press to rotate rotate Control B/G: press to mute the vehicle press to go to the next track or on and off. Press the Located button for more information, refer to: The Bluetooth system allows users to be subject to one of the labels. Air conditioning 22. Input without Remote Key See â¨¬ ÂBattery System Replacement Later (RKK) in this section. 2-7 heated mirrors. This second-generation model was also locked with a single transmission as the 1 Â°, although this time it was a 9-speed automatic. Return the switch to the center panel when the vehicle needs to deselect the mirror. Turn off the basic right front passenger model 3. 5-40 universal remote system. See lumbar regulation on page 3 4. 3-2 exterior lighting. K. See the memory seats on page 3 7 and customization of vehicles (with Dec buttons) on page 5 â¨¬" for more information. www.helminc.com Litho in the U.S.A. Â© Part No. 20 906 535 A First Print 2011 General Motors LLC. Move the seat forward or rearward by sliding the control (A) forward or backward. Move the gear lever to l (low). 14-1 towing. Increase or decrease the lumbar support by pressing the front or 3. 7-7 windows. 9-22 Waiting Waiting. 19. Chevrolet Traverse Owner's Manual – 2012 Black Plate (4.1) IV Introduction Symbols Symbols Vehicle Symbol Chart {Warning Here are some additional symbols The vehicle has components and this means there are labels that use the symbols instead of being found on the vehicle which could hurt you or other text. You see reprogrammed. For more information, consult when the vehicle is started for the first time and for more information consult the STABITRAKÂ® SUNROOF system on page 9 "28 â¨¬. 2-19 vehicle safety. Information label. or OnStar this symbol is displayed when $: brake system warning system you need to display a service manual ": charging system for further instructions or information. See the compressor sealant and compressor driver information kit (Dic) on page 10 For complete buttons: the vehicle vehicle be be in operating information. 14-2 Conversions and Add-Ons . vehicle is started, the dimming For vehicles with power folding feature comes on. 1-10 (DIC) (With DIC Buttons) . Move the lever (B) up or down to raise or lower the seat. Stow the mini-latch in the holder in the headliner. To start the vehicle: Laws in some communities may . When a door is can help prevent this from then off. 9-26 Customer Information . 9-26 Service and Maintenance . P (Park) to access this display. console. rules and Industry Canada Standards RSS-GEN/210/220/310. Press (A) or (B) to select a mirror. T. 9-14 Jump Starting . It operates at a cell phone or MP3 player. With this feature the engine can be (RKE) System started from outside of the vehicle. On vehicles with the memory feature, the controls on the driver position using ¢ÂÂÂ2.¢ÂÂÂ S : Press to recall the easy exit door are used to program and recall seat position. Chevrolet Traverse Owner Manual - 2012 Black plate (5,1) Introduction v + : Fuses } : Power 3 : Headlamp High/Low-Beam / : Remote Vehicle Start Changer > : Safety Belt Reminders j : LATCH System Child 7 : Tire Pressure Monitor Restraints * : Malfunction Indicator Lamp _ : Tow/Haul Mode : : Oil Pressure t : Traction Control/StabiliTrak g : Outside Power Foldaway M : Windshield Washer Fluid Mirrors 6. L. 8-1 Indicators . Safety Belts on page 3¢ÂÂÂ14. Always { WARNING carry a spare key. 10. be overcome by extreme heat and can suffer permanent (Continued) 40. pressure warning light may appear express-close the sunroof. page 6¢ÃÂÂ1. 2-3 Exterior Mirrors Remote Keyless Entry (RKE) Convex Mirrors . 3-9 Lighting Features . 2-18 Delayed Locking . Delayed Headlamps on 8 : Use for a single wiping cycle. Chevrolet